

# NOBI

## Metis Lighting

In floor, wall and suspension versions, Nobi guarantees total practicality for innovative elegant design. The adjoined convex lenses are held in place by a system of small clamps and fixed to the metal structure with two pins, the same on which the light source is also mounted. The diffuser can thus rotate on itself and orient the light flow in different directions. Innovative and available in multiple versions, Nobi provides maximum functionality while retaining a powerful aesthetic presence.




# WHITE

---

## TECHNICAL SHEET

Certification	CE,EAC,ETL
Material	Glass,Metal
Switching	Dimmerable
Emission	Diffused light
Total power	120W
Light Source	R7s/80
Tension	220-240 V
IP	20



## SKU

F302345150BINE

## NOTES


Wall lamp with diffused and dimmable light. By installing the supplied reflector the lamp produces direct/indirect directional light. Frame made of satined nickel-plated metal. Adjustable satin glass diffuser and reflector made of anodized aluminium. Wall support made of nickel-plated metal.

# CHROME

---

## TECHNICAL SHEET

Certification	CE,EAC
Material	Glass,Metal
Switching	Dimmerable
Emission	Diffused light
Total power	14W
Light Source	Integrated LED
Luminous flux	1400 Lm
Color temperature	2700 K
TYP CRI	>80
IP	20



## SKU

F302345150CRLE

## NOTES


Wall lamp with diffused and dimmable light. By installing the supplied reflector the lamp produces direct/indirect directional light. Frame made of satined nickel-plated metal. Adjustable satin glass diffuser and reflector made of anodized aluminium. Wall support made of nickel-plated metal. Integrated led.

# BRUSHED NICKEL

---

## TECHNICAL SHEET

Certification	CE,EAC
Material	Glass,Metal
Switching	Dimmerable
Emission	Diffused light
Total power	14W
Light Source	Integrated LED
Luminous flux	1400 Lm
Color temperature	2700 K
TYP CRI	>80
IP	20



## SKU

F302345150NSLE

## NOTES

Wall lamp with diffused and dimmable light. By installing the supplied reflector the lamp produces direct/indirect directional light. Frame made of satined nickel-plated metal. Adjustable satin glass diffuser and reflector made of anodized aluminium. Wall support made of nickel-plated metal. Integrated led.